

according to Regulation (EC) No 1907/2006 **loLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name IoLiTherm 75

Fluorinated engineered fluid

Product code loLiTherm 75

**CAS** 297730-93-9

**REACH No.** A registration number is not available for this

substance as the substance or its uses are

exempted from registration, the annual tonnage

does not require a registration or the registration is

envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised

against

Identified uses Laboratory chemicals, Manufacture of substances

**Restriction on use**Medical and pharmaceutical products, not for human

or veterinary use.

1.3 Details of the supplier of the safety data sheet

Supplier IoLiTec

Ionic Liquids Technologies GmbH

Im Zukunftspark 9

D - 74076 Heilbronn

Germany

**Telephone** +49 (0)7131-89839-0

**Fax** +49 (0)7131-89839-109

Email msds@iolitec.de

1.4 Emergency telephone number

**Emergency telephone** +49 (0)151-41255671

IoLiTherm 75 Page: 1/11



according to Regulation (EC) No 1907/2006 **IoLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

#### 2 HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

Classification (REGULTATION (EC) No 1272/2008)

Skin Irritation (Category 2)

Eye Irritation (Category 2)

Hazardous to the Aquatic Environment (Chronic) (Category 4)

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

**Pictogram** 

Signal word Warning

Hazard statements

**H-phrases** 

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to

aquatic life.

Precautionary statements

P phrases

P262 Do not get in eyes, on skin, or on clothing

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

IoLiTherm 75 Page: 2/11



according to Regulation (EC) No 1907/2006 **loLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing. Rinse

skin with water.

P305 + P351 + P338 IF IN EYES: Rinse continuously with water for

several minutes. Remove contact lenses if

present and easy to do - continue rinsing.

P313 Get medical advice/attention.

**Supplemental Hazard Statements** 

EUH018 In use, may form flammable/explosive vapour-

air mixture.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

2-(Trifluoromethyl)-3-ethoxydodecafluorohexane

CAS: 297730-93-9

Ingredient name Contents Classification

2-(Trifluoromethyl)-3-ethoxy-

dodecafluorohexane >99% Substance not yet fully tested!

#### **4 FIRST AID MEASURES**

#### 4.1 Description of first aid measures

## General

Contaminated clothing should be removed and washed before being reused.

IoLiTherm 75 Page: 3/11



according to Regulation (EC) No 1907/2006 **IoLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

#### Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/ oxygen.

#### Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

#### Skin

Wash the skin immediately with soap and water.

# **Eyes**

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

**4.3 Indication of any immediate medical attention and special treatment needed**No data available.

#### **5 FIRE FIGHTING MEASURES**

#### 5.1 Extinguishing media

Use: Water spray, fog or mist. Carbon dioxides (CO<sub>2</sub>). Dry chemicals, sand, dolomite etc.

#### 5.2. Special hazards arising from the substance or mixture

Fire causes formation of toxic gases.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

IoLiTherm 75 Page: 4/11



according to Regulation (EC) No 1907/2006 **IoLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

#### **6 ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact. Evacuate the danger area, observe emergency procedures.

#### 6.2 Environmental precautions

Avoid washing into water courses. Avoid contaminating public drains or water supply.

#### 6.3 Methods and materials for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation. Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7 HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Do not use in confined spaces without adequate ventilation and/or respirator.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well-ventilated area. Store away from acids, strong bases and oxidizing agents. Use chemical storage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**

#### 8.1 Control parameters

Ingredients with workplace control parameters.

IoLiTherm 75 Page: 5/11



according to Regulation (EC) No 1907/2006 **IoLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

Limit type TWA: 100 ppm (AIHA).

#### 8.2 Exposure controls

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Body Protection**

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance Liquid.

Color Colorless.

Odor/taste n/a

**Boiling Point** 128°C

IoLiTherm 75 Page: 6/11



according to Regulation (EC) No 1907/2006

# IoLiTherm 75 - Fluorinated engineered fluid

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

Flash Point No flash point

**Density** 1.62 g/mL (@25°C)

**Viscosity** 0.75 cSt (@25°C)

9.2 Other safety information

No data available.

#### **10 STABILITY AND REACTIVITY**

### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

No particular stability concerns.

### 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

Sparks and/or flames.

### 10.5 Incompatible materials

Strong bases.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. – Hydrogen Fluoride (HF); Perfluoroisobutylene (PFIB); Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>).

#### 11 TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes

#### **Acute toxicity**

Dermal LD50 > 2000 mg/kg

Inhalation-Vapor (rat) LC50 > 50 mg/L

Ingestion (rat) LD50 > 2000 mg/kg

IoLiTherm 75 Page: 7/11



according to Regulation (EC) No 1907/2006

# IoLiTherm 75 - Fluorinated engineered fluid

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

#### Skin corrosion/irritation

No significant irritation.

# Serious eye damage/eye irritation

No significant irritation.

# Respiratory or skin sensitization

Not classified.

# Germ cell mutagenicity

Not mutagenic.

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity

Not classified (NOAEL 1000 mg/kg/day).

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Not classified.

#### **Aspiration hazard**

No data available.

#### 11.2 Information on other hazards

#### Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes serious eye irritation.

#### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **Additional Information**

IoLiTherm 75 Page: 8/11



according to Regulation (EC) No 1907/2006

# IoLiTherm 75 - Fluorinated engineered fluid

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

RTECS: Not available.

#### 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available.

#### 12.2 Persistence and degradability

No data available.

# 12.3 Bioaccumulative potential

No data available.

# 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available.

#### 13 DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

#### 14 TRANSPORT INFORMATION

#### 14.1 UN number

ADR/RID: - IMDG: - IATA: -

IoLiTherm 75 Page: 9/11



according to Regulation (EC) No 1907/2006

# IoLiTherm 75 - Fluorinated engineered fluid

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available.

#### 15 REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

No data available.

**Country specific information** 

**Germany** WGK: 3 (Self-Classification)

#### **16 OTHER INFORMATION**

## **DISCLAIMER**

IoLiTherm 75 Page: 10/11



according to Regulation (EC) No 1907/2006 **IoLiTherm 75 – Fluorinated engineered fluid** 

Revision Date: 11/22/2023

Date Issued: 12/4/2023 Version: 1

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

IoLiTherm 75 Page: 11/11