io·li·tec

# **Technical Data Sheet**

### 1-Propyl-1-methylpyrrolidinium bis(fluorosulfonyl)imide

 Revision Date:
 7/26/2023

 Date Issued:
 2/7/2025

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name	1-Propyl-1-methylpyrrolidinium bis(fluorosulfonyl)imide
Product code	IL-0344
CAS	852620-97-4
Supplier	IoLiTec Ionic Liquids Technologies GmbH Im Zukunftspark 9 D – 74076 Heilbronn Germany
Telephone	+49 (0)7131-89839-0
Fax	+49 (0)7131-89839-109
Emergency telephone	+49 (0)179-5322578
Email	info@iolitec.de

## **2 COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient name

CAS No. Empirical Formula Structure 1-Propyl-1-methylpyrrolidinium bis(fluorosulfonyl)imide 852620-97-4

 $C_8H_{18}F_2N_2O_4S_2$ 

(FSO<sub>2</sub>)<sub>2</sub>N<sup>-</sup>

Molecular weight Purity 308.37 g/mol >99%



# **Technical Data Sheet**

## 1-Propyl-1-methylpyrrolidinium bis(fluorosulfonyl)imide

 Revision Date:
 7/26/2023

 Date Issued:
 2/7/2025

### **3 PROPERTIES**

Color	colorless to brown
Physical state (25 °C)	liquid
Melting point	-1°C
Glass transition temperature	not available
Decomposition temperature	not available
Density	1.3469 g/mL
Viscosity	43.0 cP
Heat capacity	not available
Conductivity	5.964 mS/cm
Electrochemical stability window	5.5 V
Anodic limit	2.6 V
Cathodic limit	-2.9 V

## 4 CO-SOLVENT MISCIBILITY

Water	not miscible
Acetone	miscible
Acetonitrile	miscible
Isopropanol	not miscible
Toluene	not miscible
Hexane	not miscible



# **Technical Data Sheet**

### 1-Propyl-1-methylpyrrolidinium bis(fluorosulfonyl)imide

 Revision Date:
 7/26/2023

 Date Issued:
 2/7/2025

### **5 ORDER INFORMATION**

IL-0344-HP can be obtained in the following standard quantities:

Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to <u>order@iolitec.de</u> or fax +49 (0)7131 – 89839109.

## 6 OTHER INFORMATION

## DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT IS NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONISIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.