

according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product name	IoLiTherm 71
	Fluorinated engineered fluid
Product code	IoLiTherm 71
CAS	163702-08-7
REACH No.	A registration number is not available for this
	substance as the substance or its uses are
	exempted from registration, the annual tonnage
	does not require a registration or the registration is
	envisaged for a later registration deadline.
1.2 Relevant identified uses of	the substance or mixture and uses advised
against	
Identified uses	Laboratory chemicals, Industrial application
Restriction on use	Medical and pharmaceutical products, not for human
	or veterinary use.
1.3 Details of the supplier of the	e safety data sheet
Supplier	IoLiTec
	Ionic Liquids Technologies GmbH
	Im Zukunftspark 9
	D – 74076 Heilbronn
	Germany
Telephone	+49 (0)7131-89839-0
Fax	+49 (0)7131-89839-109
Email	msds@iolitec.de
1.4 Emergency telephone number	per
Emergency telephone	+49 (0)151-41255671



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

 Revision Date:
 7/17/2023

 Date Issued:
 12/4/2023

Version: 1

## 2 HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture Classification (REGULTATION (EC) No 1272/2008)

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures. For laboratory/industrial use only!

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Signal word	Not applicable.
Symbols	Not applicable.
Pictogram	Not applicable.
Precautionary statements	
P phrases	
P262	Do not get in eyes, on skin, or on clothing
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P313	Get medical advice/attention.

IoLiTherm 71



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **3 COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Methyl nonafluoroisobutyl ether

**CAS:** 163702-08-7

Ingredient name	Contents	Classification
Methyl nonafluoroisobutyl ether	> 99%	Not classified.

## **4 FIRST AID MEASURES**

## 4.1 Description of first aid measures

#### General

Contaminated clothing should be removed and washed before being reused.

#### Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/ oxygen.

#### Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

#### Skin

Wash the skin immediately with soap and water.

#### Eyes

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

#### 4.2 Most important symptoms and effects, both acute and delayed



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

**4.3 Indication of any immediate medical attention and special treatment needed** No data available.

## **5 FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media

Use: Water spray, fog or mist. Carbon dioxides (CO<sub>2</sub>). Dry chemicals, sand, dolomite etc.

#### 5.2. Special hazards arising from the substance or mixture

Fire causes formation of toxic gases.

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

## 6 ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact. Evacuate the danger area, observe emergency procedures.

#### 6.2 Environmental precautions

Avoid washing into water courses. Avoid contaminating public drains or water supply.

## 6.3 Methods and materials for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation.

Collect and reclaim or dispose in sealed containers in license waste. Extinguish all

ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

#### 6.4 Reference to other sections

For disposal see section 13.



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

## 7 HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Do not use in confined spaces without adequate ventilation and/or respirator.

## 7.2 Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well-ventilated area. Store away from acids, strong bases and oxidizing agents. Use chemical storage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1 Control parameters

Ingredients with workplace control parameters.

Limit type TWA: 750 ppm (AIHA)

## 8.2 Exposure controls

## Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

## **Body Protection**



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## 9 PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Color	Colorless.
Odor/taste	Slight ether
Boiling Point	59°C
Flash Point	No flash point
Density	1.51 g/mL
Viscosity	0.5 cp
9.2 Other safety information	

No data available.

## **10 STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No data available.

## **10.2 Chemical stability**

No particular stability concerns.

#### **10.3 Possibility of hazardous reactions**

No data available.

## **10.4 Conditions to avoid**



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

No data available.

#### **10.5 Incompatible materials**

Strong acids, bases and oxidizing agents.

#### **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Hydrogen Fluoride

(HF); Perfluoroisobutylene (PFTIB); Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>).

#### 11 TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes

#### Acute toxicity

Dermal	LD50 > 5000 mg/kg
Inhalation-Vapor (rat)	LC50 > 1000 mg/L
Ingestion (rat)	LD50 > 5000 mg/kg

#### Skin corrosion/irritation

No significant irritation.

#### Serious eye damage/eye irritation

No significant irritation.

#### Respiratory or skin sensitization

Not classified.

#### Germ cell mutagenicity

Not mutagenic.

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1%

is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

Not classified (NOAEL 129 mg/L).

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

Version: 1

#### Specific target organ toxicity - repeated exposure

Not classified.

#### Aspiration hazard

No data available.

#### 11.2 Information on other hazards

#### Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes serious eye irritation.

#### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties

have not been thoroughly investigated.

#### Additional Information

RTECS: Not available.

## **12 ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No data available.

#### **12.2 Persistence and degradability**

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

12.6 Other adverse effects

No data available.

## **13 DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

## **14 TRANSPORT INFORMATION**

#### 14.1 UN number

ADR/RID: -	IMDG: -	IATA: -
14.2 UN proper shipping name		
ADR/RID: Not dangerous goods		
IMDG: Not dangerous goods		
IATA: Not dangerous goods		
14.3 Transport hazard class(es)		
ADR/RID: -	IMDG: -	IATA: -
14.4 Packaging group		
ADR/RID: -	IMDG: -	IATA: -
14.5 Environmental hazards		
ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user		
No data available.		

## **15 REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the



Version: 1

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 IoLiTherm 71 – Fluorinated engineered fluid

Revision Date:	7/17/2023
Date Issued:	12/4/2023

substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.2 Chemical safety assessment

No data available.

#### **Country specific information**

Germany

WGK: 3

(Self-Classification)

## **16 OTHER INFORMATION**

## DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.