

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

| | |
|----------------------------|---|
| Product name | Lithium bis(trifluoromethylsulfonyl)imide |
| Product code | KI-0001 |
| CAS | 90076-65-6 |
| REACH No. | A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. |
| Identified uses | Laboratory chemicals, Manufacture of substances |
| Supplier | IoLiTec Ionic Liquids Technologies GmbH Salzstrasse 184 D – 74076 Heilbronn Germany |
| Telephone | +49 (0)7131-89839-0 |
| Fax | +49 (0)7131-89839-109 |
| Emergency telephone | +49 (0)176-84850874 |
| E-mail | msds@iolitec.de |

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity (dermal), Category 3,
Acute toxicity (oral), Category 3,
Skin corrosion/irritation, Category 1B,

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

Specific Target Organ Toxicity - Repeated exposure, Category 2,
Hazardous to the aquatic environment: Chronic hazard, Category 3

Classification (67/548/EEC or 1999/45/EC)

Causes burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Toxic in contact with skin and if swallowed. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Signal word: **Danger**

Hazard statements

H-phrases

| | |
|-------|---|
| H301: | Toxic if swallowed. |
| H311: | Toxic in contact with skin. |
| H314: | Causes severe skin burns and eye damage. |
| H373: | May cause damage to organs through prolonged or repeated exposure . |
| H412: | Harmful to aquatic life with long lasting effects. |

Precautionary statements

P phrases

| | |
|-------|--|
| P273 | Avoid release to the environment. |
| P280: | Wear protectic gloves/protective clothing/eye protection/face protection . |

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

Labelling (67/548/EEC or 1999/45/EC)



T

Risk phrases

R24/25 Toxic in contact with skin and if swallowed.

R34 Causes burns.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3 COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient name | Contents | Health (Class) | Risk (H/R/No.) |
|---|----------|----------------|---|
| Lithium bis(trifluoromethylsulfonyl)imide | 99% | C, T | H311, H301, H314, H373, H412 23/24/25-34/35- 36/37/38-41-48/22-52/53 |

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

4 FIRST AID MEASURES

| | |
|-------------------|---|
| General | Contaminated clothing should be removed and washed before being reused. |
| Inhalation | Move the exposed person to fresh air at once. If respiratory problems, artificial respiration/oxygen. Seek immediate medical advice. |
| Ingestion | Immediately rinse mouth and provide fresh air. Do not induce vomiting. Seek immediate medical advice. |
| Skin | Wash the skin immediately with soap and water. |
| Eyes | Promptly wash eyes with plenty of water while lifting the eye lids. Remove contact lenses if present and easy to do. Continue to rinse for at least 15 minutes. Seek immediate medical advice. Continue to rinse. |

5 FIRE FIGHTING MEASURES

| | |
|---|--|
| Extinguishing media | Use: Water spray, fog or mist. Carbon dioxides (CO ₂). Dry chemicals, sand, dolomite etc. |
| Special fire fighting procedures | Avoid water in straight hose stream, will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. |
| Unusual fire & explosion hazards | Fire causes formation of toxic gases. |

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

Protective measures in fire Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions during spill Wear protective clothing and avoid inhalation of vapor, skin or eye contact.

Precautions to protect environment Avoid washing into water courses. Avoid contaminating public drains or water supply.

Spill cleanup methods Avoid contact with skin or inhalation of spillage, dust or vapor, Avoid dust formation. Use neutralizing agent. Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

7 HANDLING AND STORAGE

Usage precautions Keep away from heat, sparks and open flame. Do not use in confined spaces without adequate ventilation and/or respirator.

Storage precautions Store at moderate temperatures in dry, well ventilated area.

Storage criteria Chemical storage.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Components with workplace control parameters

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 480 min

Material tested: Dermatril® (Aldrich Z677272, Size M)

Splash protection

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 30 min

Material tested: Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9 PHYSICAL AND CHEMICAL PROPERTIES

| | |
|------------------------------------|---------------------------------------|
| Appearance | Solid, powder. |
| Color | white |
| Odor/taste | No characteristic odor, bitter taste. |
| Melting point/melting range | 234-238°C |

10 STABILITY AND REACTIVITY

| | |
|---|---|
| Stability | No particular stability concerns. |
| Materials to avoid | Avoid contact to strong oxidizers. Avoid acid conditions. |
| Hazardous Decomposition Products | High temperatures generate: Corrosive gases/vapor/fumes of: Carbon dioxide (CO ₂). Carbon monoxide (CO). Nitrous gases (NO _x). Hydrogen fluoride (HF). Sulfur dioxide (SO ₂). |

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC:No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity -single exposure

no data available

Specific target organ toxicity -repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion Toxic if swallowed. Causes burns.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

Additional Information

RTECS: Not available

12 ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 202 mg/l - 96,0 h

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 20 mg/l - 48 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

Harmful to aquatic life.

13 DISPOSAL CONSIDERATIONS

Disposal method

Contact specialist disposal companies.
Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

14 TRANSPORT INFORMATION

UN number

ADR/RID: 2923 IMDG: 2923 IATA: 2923

UN proper shipping name

ADR/RID: CORROSIVE SOLID, TOXIC, N.O.S. (Lithium bis(trifluoromethylsulfonyl)imide)

IMDG: CORROSIVE SOLID, TOXIC, N.O.S. (Lithium bis(trifluoromethylsulfonyl)imide)

IATA: Corrosive solid, toxic, n.o.s. (Lithium bis(trifluoromethylsulfonyl)imide)

Transport hazard class(es)

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

Packaging group

ADR/RID: II IMDG: II IATA: II

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

no data available

15 REGULATORY INFORMATION

REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

German Regulation VwVwS (Self-assessment):

Water hazard class 2 (WGK2): hazard to waters. Do not allow to enter waters, waste water, or soil.

Safety Data Sheet

Lithium bis(trifluoromethylsulfonyl)imide

Revision Date: 12/01/2015

Date Issued: 9/4/2017

Chemical Safety Assessment

no data available

| |
|-----------------------------|
| 16 OTHER INFORMATION |
|-----------------------------|

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONSIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.