

according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name Diethylmethylammonium

methanesulfonate

Product code IL-0325

**CAS** 945715-44-6

**REACH No.** A registration number is not available for this

substance as the substance or its uses are

exempted from registration, the annual tonnage

does not require a registration or the registration is

envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised

against

Identified uses Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Supplier IoLiTec

Ionic Liquids Technologies GmbH

Im Zukunftspark 9

D - 74076 Heilbronn

Germany

**Telephone** +49 (0)7131-89839-0

**Fax** +49 (0)7131-89839-109

**Email** msds@iolitec.de

1.4 Emergency telephone number

**Emergency telephone** +49 (0)151-41255671

IL-0325 Page: 1/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification (REGULTATION (EC) No 1272/2008)

Caution! Substance not yet fully tested. Risks cannot be excluded if the product is handled inappropriately. For laboratory use only!

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Substance not yet fully tested.

Hazard statements

**H-phrases** Substance not yet fully tested.

Precautionary statements

P phrases

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/ protective clothing/

eye protection/ face protection.

P305 + P351 + P338: IF IN EYES: Rinse continuously with water

for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P313: Get medical advice/attention.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

IL-0325 Page: 2/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Diethylmethylammonium methanesulfonate

CAS: 945715-44-6

Ingredient name Contents Classification

Die thyl methyl ammonium

methanesulfonate >98% Substance not yet fully tested!

#### **4 FIRST AID MEASURES**

## 4.1 Description of first aid measures

#### General

Contaminated clothing should be removed and washed before being reused.

#### Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/oxygen.

# Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

#### Skin

Wash the skin immediately with soap and water.

#### Eyes

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

IL-0325 Page: 3/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### **5 FIRE FIGHTING MEASURES**

# 5.1 Extinguishing media

Use: Water spray, fog or mist. Carbon dioxides (CO<sub>2</sub>). Dry chemicals, sand, dolomite etc.

# 5.2. Special hazards arising from the substance or mixture

Avoid water in straight hose stream, will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. Fire causes formation of toxic gases.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

#### **6 ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact.

#### **6.2 Environmental precautions**

Avoid washing into water courses. Avoid contaminating public drains or water supply.

#### 6.3 Methods and materials for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation. Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

#### 6.4 Reference to other sections

For disposal see section 13.

IL-0325 Page: 4/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### 7 HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Keep away from heat, sparks and open flame. Do not use in confined spaces without adequate ventilation and/or respirator.

# 7.2 Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well-ventilated area.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Body Protection**

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

IL-0325 Page: 5/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

# **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**Appearance** Liquid/ low melting solid.

**Color** Colorless to yellow.

Odor/taste No characteristic odor.

9.2 Other safety information

No data available

#### 10 STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

No particular stability concerns.

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Avoid contact to strong oxidizers and bases.

# 10.5 Incompatible materials

Strong oxidizing agents

#### 10.6 Hazardous decomposition products

High temperatures generate: Corrosive gases/ vapor/ fumes of: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Nitrous gases (NO<sub>x</sub>).

IL-0325 Page: 6/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### 11 TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes

## **Acute toxicity**

no data available

#### Skin corrosion/irritation

no data available

## Serious eye damage/eye irritation

no data available

## Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

no data available

## Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

#### 11.2 Information on other hazards

## Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

IL-0325 Page: 7/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes serious eye irritation.

# Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Additional Information

RTECS: Not available

#### 12 ECOLOGICAL INFORMATION

# 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

No data available

#### 13 DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

IL-0325 Page: 8/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### 14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

#### 15 REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 15.2 Chemical safety assessment

no data available

**Country specific information** 

**Germany** WGK: 3 (Self-Classification)

IL-0325 Page: 9/10



according to Regulation (EC) No 1907/2006 **Diethylmethylammonium methanesulfonate** 

Revision Date: 9/22/2022

Date Issued: 4/12/2024 Version: 2

#### **16 OTHER INFORMATION**

#### **DISCLAIMER**

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

IL-0325 Page: 10/10